

ROLLARAMP®



TODCO®




ROLLARAMP® DELIVERS SUPERIOR PERFORMANCE, MILE AFTER MILE.


TODCO's commitment to continually improving trucking technology doesn't stop at the back door. In fact, just building the toughest doors wasn't enough for our engineers. So now we build the toughest walk ramps, too.

Just take a look at Rollaramp's new interlocking design system and you'll see what we're talking about. Because by sliding the tread plank sections together before the sides are welded on, and then skip-welding the connections, we've dramatically increased Rollaramp's strength and stability.

And since making multiple deliveries on a daily basis is such hard work, we've also developed a patented spring assist option for Rollaramp that enables the ramp to be lifted to bed height effortlessly, dramatically decreasing driver fatigue.

Rollaramp is available in a variety of standard sizes, from eight to 16 feet, with capacities up to 2,000 pounds. Of course, we can also make custom size ramps to fit individual needs. Plus, with two different skid-resistant surfaces to choose from, in addition to two ramp nose designs, we have a Rollaramp to meet all of your specific delivery needs.






▲ **TODCO's interlock system adds strength along length of the ramp.** Tread plank sections are slid and locked together *before* sides are welded on. Skip-welding of sections then dramatically increases Rollaramp's strength and stability.




▲ **Optional spring assist makes lifting Rollaramp even easier.** Our patented spring assist mechanism enables the ramp to be lifted to bed height effortlessly. Available on new installations and as retrofit for TODCO Rollaramps and other ramps.

▲ **Two ramp surfaces to choose from.** Rollaramp offers a choice of skid-resistant surfaces to make walking, loading and unloading safer and more convenient. Our standard "Two-Way" skid-resistant surface gives extra traction whether walking up or down the ramp. Our optional "Grate Aluminum" open surface design helps prevent mud, snow or ice from building up on the ramp's surface.



▲ **Breakaway handles help prevent theft.** Convenient, comfortable breakaway handles strong enough to support ramp's weight.

▲ **Angle safety stops** prevent Rollaramp from being pulled out of its track frame, while **anti-bounce springs** eliminate rattling during travel. Finally, **tie bars** ensure proper track alignment and easy installation.



▲ **Select one of two ramp nose designs.** Our standard ramp nose design comes complete with breakaway handles, while our optional horizontal (blunt) nose design (cover photo) has a center handle cut-out.

▲ **Safety latch** keeps Rollaramp securely locked in place.



▲ **Cushioned Rollers** for smoother, easier operation.

